



Volume: 04 Issue: 07 | 2023 ISSN: 2660-454X

<https://cajitmf.centralasianstudies.org>

Enhancing Authentication Methods in Online Banking Using Face Recognition with Hybrid Pins

¹ Mohamed Azarudeen A

² Shaik Abdullah J

³ Sourav Sardar

⁴ Taj Sadullah U

⁵ N. Selvam

Received 16th May 2023,

Accepted 19th Jun 2023,

Online 4th Jul 2023

^{1,2,3,4,5} Department of Computer Science and Engineering, Dhaanish Ahmed College of Engineering, Chennai, Tamil Nadu, India

Abstract: Researchers have been drawn to this problem because of the increasing prevalence of authentication-related malware and the critical nature of authentication security. Since the current password-based authentication paradigms are inefficient, not robust enough, and susceptible to automated attacks, many such attacks succeed in gaining access to social network accounts. Alternatively, two-factor authentication (using a combination of a password and another piece of information, like a one-time PIN issued by the user's device or an SMS) can be used to bolster the security of single-factor authentication. This study presents a novel approach to preventing shoulder-surfing attacks on authentication systems by employing a three-layer-based authentication system. The first tier uses biometric authentication to solve security and privacy concerns in novel ways. The goal of incorporating face biometrics into a real-time authentication system is to ensure that only authorised users may access ATMs. OTP verification using reverse processing is provided at the second layer of security. Then, have a PIN-based authentication system in place that can be used with ATM software. A hybrid keypad is a keypad that employs the concept of merging two keypads with distinct digit orderings in such a way that the user, when up close to the device, sees one keypad to enter the PIN, but an attacker, when looking at the device from a further distance, sees only the other keypad. Upon entering their credentials, users activate the application's three-factor authentication process.

Key words: Enhancing Authentication, Methods, Online Banking, Face Recognition, Hybrid Pins.

Introduction

Network security refers to the measures used to protect against and detect attacks on a network and the data and programmes available over it [8]. The administrator of a network is responsible for deciding who is allowed access to the network's data [9]. Users gain access to resources within their purview via a user ID and password (or other authenticating credentials) that they select (or are assigned) [10]. Public

and private computer networks are both included in the scope of network security since they are essential for the smooth operation of modern corporations, government institutions, and private households. Some networks are only accessible within a certain organisation, while others are available to the whole public [11]. Organizations, businesses, and other establishments all have a hand in network security. As its name implies, it ensures the safety of the network and keeps an eye on all the goings-on within it. Network resources are often protected through the application of a name and password [12].

Authentication, typically in the form of a username and password, is the first step in ensuring a safe network. One-factor authentication is frequently used to describe this method because it only requires one piece of information (the password) to verify the user's identity. Three-factor authentication requires not just something the user knows (password) but also something the user "possesses" (a security token or "dongle," an ATM card, or a mobile phone) [13-15].

Firewalls are used to control who may access certain parts of a network and what services they can utilise after they have been granted access. While this feature is great at stopping hackers, it may miss anything more serious like computer worms or Trojan horses that are being communicated across the network. Malware like this can be detected and stopped with the use of anti-virus software or an intrusion prevention system (IPS) [16-19]. Wire shark-like network monitoring by an anomaly-based intrusion detection system could be logged for auditing and eventual high-level analysis. By analysing all network traffic, modern systems are able to identify active network attackers, whether they are hostile insiders or targeted foreign attackers who have infiltrated a user's workstation or account. It is possible to encrypt network traffic between two hosts for secret communication [20].

Network honeypots, which are essentially decoy resources available through the network, can be used for monitoring and early warning because they are rarely used for their intended purposes. In order to keep tabs on emerging exploitation methods, researchers analyse the methods employed by attackers during and after an assault to compromise these dummy resources [21-23]. The honeypot's protected network could benefit from additional security enhancements if such data were analysed. Additionally, a honeypot can divert an attacker's focus from protected hosts. A honeypot is a fake server set up to divert an attacker's attention away from the genuine server and its data. A honeynet is an intentionally vulnerable network, similar to a honeypot. It's designed to entice attacks so researchers can analyse malicious tactics and improve network defences. One or more honeypots are normally part of a honeynet [24].

Objectives

Since secure authentication cannot be judged just based on username and password—since attackers may guess them so easily—this project aims to strengthen the security of Internet Banking through the use of face biometrics and various PIN authentication methods [25]. Financial institutions and their customers alike place a premium on ensuring the safety of online banking. The banking industry has been the target of an alarming number of cyberattacks and acts of fraud in recent years [26-31]. One of the main causes of such accidents is insufficient security processes, especially in regards to authentication. Usernames and passwords are no longer sufficient forms of authentication to prevent modern assaults like phishing, social engineering, and brute force [32].

Scope of the Project

The goal of this project is to create and deploy a biometrically-verified and PIN-shuffled authentication system for use with online banking. The goal of the project is to provide an alternative to the conventional means of authentication such as user name and password, which have become increasingly vulnerable due to the proliferation of cyber threats such as phishing. An extra safeguard against theft and fraud can be achieved by the combination of biometric verification and PIN shuffling methods [33]. In order to verify the user's identity, the biometric verification feature will analyse unique characteristics about them, such as their face or voice. User biometric information will be collected at account creation and will be used for further login verification [34]. Because biometric data is specific to each individual,

it is very difficult to copy or falsify, making this technology extremely safe. With the PIN shuffling feature, a new random sequence of digits will be created for each login attempt, thus strengthening the security of the authentication procedure. Even if an attacker obtains the PIN, they will be unable to access the account without the user's permission. The technique will drastically lessen the likelihood of brute-force assaults or guessing the user's PIN by randomly rearranging the PIN each time [35].

Project Goals

The goal of this project is to create and deploy a biometrically-verified and PIN-shuffled authentication system for use with online banking. The system's stated goal is to create a safe, user-friendly, and efficient means of identification that drastically cuts down on the potential for fraud and unwarranted account access in the realm of online banking [36-41]. The goal of the research is to increase safety by combining biometric authentication with PIN shuffling. Facial recognition, fingerprint scanning, and voiceprint analysis are all examples of biometric verification technologies. The system's vulnerability to impersonation and other forms of fraud, such as social engineering and phishing, will be much diminished once this method is put into place. The purpose of the PIN shuffling method is to make it more difficult for an attacker to figure out a user's PIN by producing a new set of digits for each login [42-45]. This method will keep the system safe from intruders by foiling guessing and brute-force attacks. In order to better protect financial transactions conducted online, this initiative will put the system to the test [46].

Literature Survey

The long-term objective of the IoT is to supply services everywhere. There are still numerous obstacles to overcome before this may be accomplished [1]. This paper proposes a bio-inspired self-learning coevolutionary algorithm (BSCA) for dynamic multiobjective optimization of Internet of Things (IoT) services to cut down on energy consumption and service time, which is inspired by the cooperative mechanisms between multiple systems in the human body. The BSCA has three distinct levels. The first level is made up of cooperating subpopulations developing to produce a variety of Pareto fronts. The second layer builds on the first by attempting to generate an even wider variety of solutions from those generated by the first layer. The third layer takes the answers identified in the second layer and refines them using a dynamic optimization approach and an adaptive gradient refinement search strategy to deal with the dynamic nature of concurrent multiple service requests. Based on two service-providing methodologies, i.e., single service and collaborative service, experiments are conducted on agricultural IoT services in the presence of dynamic requests under varied distributions. Specifically for high-dimensional situations, BSCA outperforms four existing IoT service algorithms, as shown by the simulation findings. In order to dynamically optimise IoT services for both cost and time efficiency, this research introduces a bio-inspired self-learning coevolutionary algorithm (BSCA) with a three-layer progressive structure.

In this research, we combine the best features of the three basic authentication types—PINs, cards, and keystroke dynamics [2]—to create a hybrid authentication framework for ATMs that is both secure and efficient. There's no denying that PIN-based verification isn't as effective at keeping your money and identity safe. Their administration and security are becoming increasingly problematic, and there are an infinite number of methods in which they might be stolen, broken, reset, or bypassed by malevolent actors. PIN-based authentication solutions are also advantageous since they reduce the window of opportunity for attackers to guess a valid PIN. The scientists provided additional detail on the nature, distribution, and safety of PINs selected by humans. Internet banking is vulnerable to insecure PIN-based authentication assaults, which can discourage customers from using the service. Several methods are used to fortify these authentication protocols. The usage of a PIN as part of a two-factor authentication system is widespread.

Therefore, we intend to design a system that, in addition to the PIN, also identifies the essence of the person using the card [4]. Clients won't be allowed to proceed to the next page if their photos don't match

those in the database. No entry will be granted, and the cardholder will not be able to make any modifications to their account. The card can be used by the client as well as their allowed companions and children whose information is stored in the database. Therefore, the management of a single card within the household is sufficient, as it will not compromise the safety of the system as a whole. To ensure complete safety, only the most trusted individuals on file will be able to access and use the card. By using this technique, criminals and illegal users are prevented from using ATMs. ATMs utilise face recognition technology in addition to the PIN and OTP for authentication. An actual access card, personal identification number, and facial recognition software would all be part of this machine security approach.

In paper [5], the authors follow the Euclidean distance between the two linked finger codes to complete the unique mark acknowledgment with curvelet variation. The database contains the complete finger codes, and the test finger code is compared to them. If the information provided is a match, a one-time password (OTP) will be given to the user's verified mobile number. The data is preprocessed with the help of the math lab's in-house routines. By slightly adjusting the intensity distribution on a histogram, the histogram equalisation approach aids in working on the global difference of a picture. This makes it possible for regions with poor local contrast to improve their distinctiveness without affecting the global contrast. To do this, histogram adjustment effectively spreads out the most successive power values. Using curvelet transform and fast Fourier transform should allow for component extraction. Adding a GSM module that generates OTP on paper increases the ATM's security. When the GSM infrastructure fails, this system substitutes a Bluetooth connection to the ATM, which generates an OTP reference on the client's mobile device.

This work offers a user-credential-based OTP generation technique for use in a Cloud-based electronic healthcare system in order to safeguard patient information [6]. Since this is an issue, the suggested system employs the proposed secure method to provide the end-user with a secure OTP through SMS (SMS). The proposed solution also offers a safe method of sharing information among the shifting crew via cloud computing. With a group signature, data in the cloud can be shared by any user. For safe information exchange, a group signature is created using individual user credentials. Anyone who wants to join the group must first provide their credentials to the manager. The group manager will authenticate the user's credentials and then offer the group signature to the user so they may access and share data in the cloud. The computational expense of the proposed approach is independent of the total number of suspended users. The cloud's resource management system, load balancing capabilities, and adaptability to user needs are all advantages. It's more than just a trove of digital assets. The price of technology is dropping quickly, while computational power and storage space are expanding dramatically.

System Analysis

The widespread adoption of smartphones has resulted in the storage of a great deal of personally identifiable information. User authentication mechanisms are required to prevent the leak of such sensitive data [47-51]. Shoulder surfing and smudge attacks can compromise current user authentication techniques relying on passwords and patterns. Stroke/gait-based methods, on the other hand, are secure but cumbersome to input. In this work, we present ShakeIn, a user authentication technique that uses the motion of the user's hand to unlock the phone in a secure manner [52-55]. Because of its built-in motion sensors, ShakeIn is able to accurately record the distinctive and dependable biometric aspects of its users' shaking [56]. This makes it extremely difficult for an attacker to imitate a user's actions, even if the attacker witnesses the user shaking his or her phone. Furthermore, ShakeIn permits maximal operation freedom by allowing customers to tailor how they shake the phone. We deploy ShakeIn and run extensive trace-driven simulations alongside real-world tests on 20 participants and approximately 530; 555 samples of shaking data gathered over the course of many months [57-61]. In spite of being subjected to shoulder-surfing attacks, the results reveal that ShakeIn is able to obtain an error rate of only 2% on average for a limited number of shakes utilising just 35 training samples [62].

To prevent authentication-system-compromising shoulder-surfing attacks, a hybrid keyboard approach has been created. This is a password-based security system for touchscreen gadgets. As long as the user is in close proximity to the device, they will only see a single keypad on which to input their PIN. At a greater distance, though, the attacker only sees the opposite keypad [63-65]. Every time authentication is attempted, the user's keypad is randomly rearranged to prevent an attacker from learning the pattern of keys that were pushed. To assess the safety of illusion PIN, we created an algorithm based on how humans take in visual information. We made an estimate of the smallest distance an observer could be and yet understand the user's keypad input. Our research suggests that it is extremely difficult for a surveillance camera to intercept a PIN entered on a hybrid keypad while using a smartphone. A banking application makes use of this strategy. If a PIN is entered when logging into the app, the hybrid keypad will be activated [66-71].

Software Description

Python is a powerful high-level language that can be used for a wide variety of projects thanks to its interpretive nature. Python was created by Guido van Rossum and released for the first time in 1991 with a design philosophy that prioritised making code easy to read. It supplies the building blocks for readable code, whether on a micro or macro scale [72]. Van Rossum announced his retirement as leader of the language community in July of 2018. Python's dynamic type system and built-in memory management are two of its most notable features. Object-oriented, imperative, functional, and procedural programming are all supported, and the language comes with a sizable and well-rounded set of built-in tools. Many different OSes have Python interpreters. Nearly all of Python's other implementations follow the same open-source, community-based development paradigm as CPython, the reference implementation. Python and CPython are managed by the non-profit Python Software Foundation. Python's designers opted to make the language extremely extendable rather than include all of its features into its core [73-79]. This small-footprint flexibility has made integrating programmable interfaces into preexisting software a hot trend. Frustration with ABC's insistence on a large core language with a tiny standard library and difficult to extend interpreter inspired Van Rossum to envision a compact core language with a huge standard library and easy to extend interpreter [80]. Python is a programming language that allows for multiple approaches to writing code but is known for its minimalistic grammar and rejection of verbose syntax, such as that of Perl.

To call anything "smart" is not a compliment in the Python community, as Alex Martelli put it. Python's attitude is that "there should be one—and preferably only one—obvious way to do it," as opposed to Perl's "there is more than one way to do it." As a result, modifications to non-critical areas of C Python that would give modest benefits in speed at the expense of clarity are routinely rejected by the Python community. Time-sensitive functions can be moved to extension modules written in languages like C or a just-in-time compiler like PyPy can be used by a Python writer. Alternatively, you can use CPython, which compiles Python code into C and then uses that code to make API calls to the Python interpreter [81-85]. The Python team has made user enjoyment a priority in their work. This is reflected in the name of the language, which is an homage to the British comedy group Monty Python, and in the occasionally lighthearted tone of tutorials and reference materials, such as the use of spam and eggs (from a famous Monty Python sketch) as examples rather than the more conventional for and bar [86].

The term "pythonic" has multiple interpretations in the Python community, all of which have to do with the language's programming style. Pythonic code leverages Python idioms effectively, reads like it was written by someone who is fluent in the language, and adheres to Python's emphasis on simplicity and clarity. On the other hand, "unpythonic" code is described as being particularly difficult to understand or as reading like a clumsy transcription from another programming language [87-95]. Pythonists, Pythonistas, and Pythoners are common names for Python's users and fans, especially those who are considered competent or experienced. Python is a high-level, object-oriented programming language that is interpreted and has dynamic semantics. In addition to its utility as a scripting or glue language for

connecting preexisting components, the language's high-level built-in data structures, dynamic typing, and dynamic binding all contribute to its appeal for Rapid Application Development. Readability is emphasised and maintenance expenses are decreased because to Python's straightforward syntax. Program modularity and code reuse are fostered by Python's module and package support. The Python programming language and its comprehensive standard library are open-source and freely distributable in source or binary form for all major platforms. Python's greater productivity is a major draw for programmers. Since compilation is not required, the iteration between editing, testing, and debugging is lightning quick. Because Python never generates a segmentation fault in response to an error or invalid input, debugging is a breeze. In its place, the interpreter throws an exception if it encounters a problem. When an exception is not handled by the programme, the interpreter displays a stack trace [96-101]. A debugger that works on the source code level allows you to view the values of local and global variables, evaluate expressions, place breakpoints, walk through the code line by line, and so on. The debugger is a testament to Python's ability to look inward. However, adding a few print statements to the source is typically the easiest method to debug a programme; the fast edit-test-debug cycle makes this simple approach quite effective. In the 1980s, when Python was first being developed, it was led by Guido van Rossum. The Python Software Foundation now maintains and updates the language. Python's flexibility as a multiparadigm language means that developers are free to choose from a variety of approaches, including object-oriented, imperative, functional, and reflective, when implementing their code. Python has many applications beyond only the web, including numerical programming, game development, and access to serial ports [102-109].

Python's rapid growth is due to two features that set it apart from other languages:

- Python is an interpreted language, which means that compilation is performed automatically before a programme is executed. Python, being a high-level language, hides the complexity of its code behind a layer of abstraction. Python's emphasis on this abstraction makes it accessible to even inexperienced programmers.
- Python code is typically shorter than competing languages' equivalents. Python's quick development periods come at the expense of a minor delay in execution. Python programmes run more slowly than those written in fully compiling languages like C or C++. With modern computers' processing speeds, however, speed differences are typically only seen in benchmarking tests and not in actual use. Python is typically preinstalled on Linux and Mac OS X computers [110].

BACK END: MY SQL

In 2008, MySQL had the most users of any open-source RDBMS; it is a server that allows multiple users to access the same set of databases at once. MySQL's developers have released the software's source code under a number of different licences and proprietary agreements, including the GNU General Public License. One for-profit company, the Swedish corporation MySQL AB (which is now owned by Oracle Corporation), was responsible for developing and promoting MySQL.

MySQL is a frequently used database for web applications and a key part of the LAMP (Linux, Apache, MySQL, Perl/PHP/Python) open-source web application software stack. MySQL is a popular choice for free/open source software projects that need a powerful database management system. Several premium editions with additional features are available for commercial use [111-114]. MySQL databases are used by a wide variety of LAMP-based applications, such as TYPO3, Joomla, Word Press, phpBB, MyBB, and Drupal. Wikipedia, Google(though not for searches), ImagebookTwitter, Flickr, Nokia.com, and YouTube are just some of the many well-known, massive-scale Web products that employ MySQL [115-119].

MySQL is primarily an RDBMS; there are no graphical user interface (GUI) tools for managing MySQL databases or the data contained therein. MySQL "front-ends," desktop software and web apps, and the command line tools it comes with are all that users need to create and manage MySQL databases,

construct database structures, back up data, inspect status, and operate with data records. MySQL Workbench is Oracle's official collection of front-end tools for MySQL, and it's available for free [120].

Graphical:

MySQL AB's official MySQL Workbench is a no-cost integrated environment that provides graphical tools for managing databases and creating new ones [121-124]. The former software suite, MySQL GUI Tools, has been replaced by MySQL Workbench. MySQL Workbench is a front-end for MySQL that, like other third-party products, allows users to manage database design and modelling, SQL development (in place of MySQL Query Browser), and Database management (replacing MySQL Administrator) [125]. There are two versions of MySQL Workbench: the free and open-source Community Edition, which can be downloaded from the MySQL website, and the paid, premium Standard Edition, which adds to and improves the functionality of the former [126].

System Design

The structure, behaviour, and perspectives of a system are conceptualised in a model called the system's architecture [127]. A formal description and representation of a system arranged to facilitate reasoning about the system's structures and behaviours is known as an architecture description. A system's architecture can include the parts that make up the system, their outwardly apparent characteristics, and the connections (e.g., the behaviour) between them. It can serve as a blueprint for acquiring the necessary components and creating the necessary infrastructure to put the system into action [128-129]. Efforts have been made to formalise a set of languages for describing the architecture of a system; these are known as architectural description languages (ADLs) (fig.2).




Figure 1: System Architecture

Use Case Diagram

A Use Case Is A Set Of Instructions On How A Certain Role (Called A "Actor" In Unified Modeling Language) And A System Collaborate To Accomplish A Specific Task. The Player Can Be A Living Being, A Machine, Or The Passage Of Time. Use Cases Are Taken To A Higher Degree In Systems Engineering Than They Are In Software Engineering, Typically Symbolising Missions Or Stakeholder Goals.

The Class Diagram Does Not Change. It Stands In For The Unchanging Perspective Of A Programme. To Generate The Executable Code Of A Software Programme, The Class Diagram Is Used To Visualise, Describe, And Record Various Parts Of The System. The Class Diagram Defines The Parameters Of A

Class And The Methods It Can Perform. Since No Other Uml Diagram Can Be Directly Translated With Object-Oriented Languages, Class Diagrams See Extensive Use In The Modelling Of Such Systems.

Graphical Representations Of Workflows That Include Decision-Making, Iteration, And Concurrency Are Called Activity Diagrams. The Purpose Of Activity Diagrams In The Unified Modeling Language Is To Represent Operational And Computational Procedures. Control Flow Can Be Shown Through The Use Of Activity Diagrams.

Entity Relationship Diagram

An Entity-Relationship Model Is A Methodical Way To Define And Describe A Domain In A Company's Data. It Just Provides A Visual Representation Of Business Data Without Really Defining Any Processes. Information Is Modelled As Parts (Entities) That Are Interconnected Through Relationships That Convey Needs And Dependencies. There Are Three Possible Er Model Depths In The "Three Schema" Method Of Software Engineering.

This Section Of The Tutorial Deals With The User's Credentials. In Order To Utilise The Banking Software, The User Must First Register For An Account. A User's First Name, Last Name, Address, Account Information, Pin, User Name, And Password Are All Examples Of Mandatory Fields During Registration. The Pin Is Expected To Be A Four-Digit Sequence Of Numbers. You Can Use Any Regular Keypad To Check Your Login And Password. A Digital Keypad Will Be Used To Input The Pin.

Users Are Validated By Their Individual Login Credentials In The Process Of Password Authentication. A Pin Is A Secret Number Or Code That Both A User And A Computer System Use For Identification And Authentication Purposes. Individual Pin Records Can Be Added To The Device Via The User Pin Authentication Page. The User's Ability To Proceed With The Transaction Is Contingent Upon The Accuracy Of The Information Entered. If There Is No Match, The User Will Have To Re-Enter The Information. Bank Transactions Are Made More Secure By Using Pins.

Passwords Can Be Concealed Via Shuffling, A Method Of Concealing Numerical Digits In Digital Patterns. A Special Hybrid Keypad Will Appear As You Input Your Pin. There Are Two Types Of Keypads, However The Hybrid Combines Them Into One. The Pins Are Disguised From Prying Eyes With The Help Of Shuffling Patterns. After Each Authentication Step, The User's Pin Will Be Hidden On The Keyboard, Which May Be Rearranged. The Computerised Digits Are Always Mixed Up In A Different Order. In Addition, Please Supply The Otp For Further Confirmation. One-Time Passwords (Otps) Are A Means Of User Verification In Financial Transactions. Users Can Access Banking Apps Following Otp Verification.

Admin Needs To Register For An Account In Order To Use The Atm Software. Admin Id, Admin Name, And Password Are Required For Signup. The Database Will Hold These Specifics. Using Their Verified Credentials, Admin Can Enter The System. While Entering Their Pin, Customers Can Use Other Atm Features. The Administrator Can See Who Each User Is And What Each User Has Purchased.

In Order To Complete A Transaction, The User Must First Get A Transaction Password. The User Must Input The Account Number And The Name Of The Recipient. Next, Enter The Amount You Wish To Send. While Inputting The Transaction Password, The Standard Keypad Will Transform Into A Hybrid Keypad. Accounts Will Be Updated To Reflect The Details Of The Transactions. To Leave The Programme, Click The Logout Button. The Keyboard Will Be Rearranged After You Log Out Of Your Session.

System Testing

It is possible to prepare and execute tests in a methodical fashion. The computerised system is tested in stages, starting with individual modules and ending with their integration. Testing is essential to the health of any system, so it's essential that it be done before anything else. Following the aforementioned

goals during testing will help find bugs in the programme. Testing also shows that the software appears to execute as expected and that performance goals have been met. A programme can be tested in three distinct ways. Implementation efficiency tests look for ways to reduce the size and runtime of a correct programme. It's an examination of the algorithm's implementation that takes place during the code-refinement process. Computational complexity tests are essentially an experimental investigation of an algorithm's complexity or a comparison of two or more algorithms that achieve the same goal (fig.2).




Figure 2: Personal Information Page

There are other guidelines that can be used as benchmarks: 1. The goal of testing is to detect bugs in a programme by running it. Following the aforementioned goals during testing will help find bugs in the programme. Testing also shows that the software appears to execute as expected and that performance goals have been met. A programme can be tested in three distinct ways. Correctness tests are meant to ensure that a software functions as intended. It's not as simple as it seems, especially with larger projects. Implementation efficiency tests look for ways to reduce the size and runtime of a correct programme. It's an examination of the algorithm's implementation that takes place during the code-refinement process. Experimental investigation of the difficulty of an algorithm, or comparison of two or more algorithms that solve the same issue, includes tests for computational complexity.

Conclusion

The suggested system describes how a hybrid keypad is used in an automated teller machine. Creating a PIN-based authentication mechanism that is secure against shoulder surfing assaults was the primary focus of our study. We developed Illusion PIN for this purpose. The proposed system has introduced the concept of safety distance to quantify the resistance level against shoulder-surfing. The visibility algorithm required us to model the fundamentals of the human visual system. Several simplifying assumptions were made during this process, which reduces the precision of our results. This means that the visibility index is lower for a hybrid keypad, even though the numbers appear to be as legible to the user as they would be on a digital keypad. Seeing a digit that is even faintly visible is considered a severe distortion, therefore this makes sense when the reference buttons are all the same colour. This project will continue with the development of a proposal for an Android-based banking application and the implementation of extremely secure measurements based on Digital PIN authentication or Bright Pass authentication.

Reference

1. D. M. Ahmed et al., "A state of art for a survey of combined Iris and fingerprint recognition systems," AJRCoS, pp. 18–33, 2021.

2. Ahmed, Dindar Mikaeel, et al. "A state of art for survey of combined iris and fingerprint recognition systems." *Asian Journal of Research in Computer Science* (2021): 18-33.
3. Abiew, Nuku Atta Kordzo, and Samuel Osei Banning. "Design and implementation of cost-effective multi-factor authentication framework for ATM systems." *Asian Journal of Research in Computer Science* 5.3 (2020): 7-20.
4. Achaliya, Parag, et al. "Securing ATM using Face Recognition Authentication and OTP."
5. Vinothkumar, J., and Logaiyan Parthasarathy. "A Two-Level Authentication Approach for Securing Data in Cloud." (2022).
6. Sinha, Mudita, Elizabeth Chacko, and PriyaMakhija. "AI Based Technologies for Digital and Banking Fraud During Covid-19." *Integrating Meta-Heuristics and Machine Learning for Real-World Optimization Problems*. Springer, Cham, 2022.443-459.
7. Surekha, Nayak, et al. "Leveraging Blockchain Technology for Internet of Things Powered Banking Sector." *Blockchain based Internet of Things*. Springer, Singapore, 2022.181-207.
8. Uddin, M. I., Ali Shah, S. A., Al-Khasawneh, M. A., Alarood, A. A., & Alsolami, E. (2022). Optimal policy learning for COVID-19 prevention using reinforcement learning. *Journal of Information Science*, 48(3), 336-348.
9. Ullah, Z., Zeb, A., Ullah, I., Awan, K. M., Saeed, Y., Uddin, M. I., ... & Zareei, M. (2020). Certificateless proxy reencryption scheme (CPRES) based on hyperelliptic curve for access control in content-centric network (CCN). *Mobile Information Systems*, 2020, 1-13.
10. Alarood, A. A., Alsolami, E., Al-Khasawneh, M. A., Ababneh, N., & Elmedany, W. (2022). IES: Hyper-chaotic plain image encryption scheme using improved shuffled confusion-diffusion. *Ain Shams Engineering Journal*, 13(3), 101583.
11. Rani, R., Kumar, S., Kaiwartya, O., Khasawneh, A. M., Lloret, J., Al-Khasawneh, M. A., ... & Alarood, A. A. (2021). Towards green computing oriented security: A lightweight postquantum signature for IoE. *Sensors*, 21(5), 1883.
12. Saleh, M. A., Othman, S. H., Al-Dhaqm, A., & Al-Khasawneh, M. A. (2021, June). Common investigation process model for Internet of Things forensics. In *2021 2nd International Conference on Smart Computing and Electronic Enterprise (ICSCEE)* (pp. 84-89). IEEE.
13. Mast, N., Khan, M. A., Uddin, M. I., Ali Shah, S. A., Khan, A., Al-Khasawneh, M. A., & Mahmoud, M. (2021). Channel contention-based routing protocol for wireless ad hoc networks. *Complexity*, 2021, 1-10.
14. Al-Khasawneh, M. A., Shamsuddin, S. M., Hasan, S., & Bakar, A. A. (2018, July). MapReduce a comprehensive review. In *2018 International Conference on Smart Computing and Electronic Enterprise (ICSCEE)* (pp. 1-6). IEEE.
15. Kumar, V., Kumar, S., AlShboul, R., Aggarwal, G., Kaiwartya, O., Khasawneh, A. M., ... & Al-Khasawneh, M. A. (2021). Grouping and Sponsoring Centric Green Coverage Model for Internet of Things. *Sensors*, 21(12), 3948.
16. Sabir, M. W., Khan, Z., Saad, N. M., Khan, D. M., Al-Khasawneh, M. A., Perveen, K., ... & Azhar Ali, S. S. (2022). Segmentation of Liver Tumor in CT Scan Using ResU-Net. *Applied Sciences*, 12(17), 8650.
17. Alam Khan, Z., Feng, Z., Uddin, M. I., Mast, N., Ali Shah, S. A., Imtiaz, M., ... & Mahmoud, M. (2020). Optimal policy learning for disease prevention using reinforcement learning. *Scientific Programming*, 2020, 1-13.

18. Meng, F., Jagadeesan, L., & Thottan, M. (2021). Model-based reinforcement learning for service mesh fault resiliency in a web application-level. arXiv preprint arXiv:2110.13621.
19. Meng, F., Zhang, L., & Chen, Y. (2023) FEDEMB: An Efficient Vertical and Hybrid Federated Learning Algorithm Using Partial Network Embedding.
20. Meng, F., Zhang, L., & Chen, Y. (2023) Sample-Based Dynamic Hierarchical Trans-Former with Layer and Head Flexibility Via Contextual Bandit.
21. Meng, F. (2023) Transformers: Statistical Interpretation, Architectures and Applications.
22. M. Modekurti-Mahato, P. Kumar, and P. G. Raju, "Impact of Emotional Labor on Organizational Role Stress – A Study in the Services Sector in India," *Procedia Economics and Finance*, vol. 11, pp. 110–121, 2014.
23. M. Modekurti, and R. Chattopadhyay, "The relationship between organizational role stress and life satisfaction levels among women employees: an empirical study," *The Icfai Journal of Management Research*. vol. 7, no. 5, pp. 25-34. 2008.
24. M. Mahato, "Organizational change: An action oriented toolkit," *South Asian Journal of Management*, vol. 22, no. 4, pp. 197. 2015.
25. P. G. Raju and M. M. Mahato, "Impact of longer usage of lean manufacturing system (Toyotism) on employment outcomes - a study in garment manufacturing industries in India," *International Journal of Services and Operations Management*, vol. 18, no. 3, p. 305, 2014.
26. M. Mahato, "Performance Analysis of High, Medium and Low Companies in Indian Pharmaceuticals Industry," *IUP Journal of Management Research*, vol. 10, no. 3, pp. 52-70, 2011.
27. M. Mahato, "Life satisfaction—what does it really mean to Indians?," *PURUSHARTHA-A journal of Management, Ethics and Spirituality* , vol. 7, no. 1, pp. 79–87. 2014.
28. M. Mahato and P. Kumar, "Emotional Labor – An Empirical Analysis of the Correlations of Its Variables," *European Journal of Business and Management*, vol. 4, no. 7, pp. 163–168, Jun. 2012.
29. M Modekurti , "The nature of leadership: Reptiles, mammals, and the challenge of becoming a great leader", *South Asian Journal of Management*, vol 14, no 4, pp 155, 2007.
30. M Mahato, "Get the EGO Advantage", *South Asian Journal of Management*, vol 20, no 4, pp 153, 2013.
31. M. Mahato, "HR Focus Within the Indian Information Technology Industry," *Prabandhan: Indian Journal of Management*, vol. 5, no. 5, p. 14, May 2012.
32. M. Modekurti-Mahato and P. Kumar, "Organizational Role Stress - Empirical Evidences from India during Economic and Political Resentment," *PURUSHARTHA - A journal of Management, Ethics and Spirituality*, vol. 7, no. 2, pp. 30–39, 2014.
33. S. Bhattacharjee and M. Mahato, "A comparative analysis of growth of telecom cluster with special reference to Indian economy," *Imranchi.ac.in*, 2016.
34. M Mahato, "Training for Development", *South Asian Journal of Management*, vol 22, no 3, pp 199, 2015.
35. Santoso, L.W., Yulia. (2020) "Predicting student performance in higher education using multiregression models", *Telecommunication Computing Electronics and Control, Journal*, vol. 18, no. 3, pp. 1354-1360.
36. Santoso, L.W., Yulia. (2019) "ITIL Service Management Model for E-learning", *Journal of Adv. Research in Dynamical & Control Systems*, vol. 11, no. 6, pp. 190-197.

37. Santoso, L.W., Lim, R. and Trisnajaya, K. (2018) "Smart Home System Using Internet of Things", *Journal of Information, Communication and Convergence Engineering*, Vol. 16 No.1.
38. Santoso, L.W. and Yulia, (2018) "Academic Decision Support System for Top Management", *Advanced in Natural and Applied Sciences*, Vol. 12 No. 4.
39. Santoso, L.W. and Yulia, (2017) "Data Warehouse with Big Data Technology for Higher Education", *Procedia Computer Science*, Vol. 124 No. 1.
40. Dahal, R. K. (2019). Customer satisfaction in Nepalese cellular networks. *Tribhuvan University Journal*, 33(2), 59-72.
41. Dahal, R. K. (2020). Contemporary management accounting techniques and organizational performance. *Pravaha*, 26(1), 177-185.
42. Dahal, R. K. (2021). Customer performance and non-financial organizational performance of the Nepalese cellular telecommunications industry. *Problems and Perspectives in Management*, 19(2), 132-144.
43. Dahal, R. K. (2021). The relevance of conventional management accounting techniques. *Nepal Journal of Multidisciplinary Research*, 4(2), 27-39.
44. Dahal, R. K. (2021). Internal business process performance of the Nepalese telecom industry. *Problems and Perspectives in Management*, 19(4), 138-147.
45. Dahal, R. K. (2021). Application of management accounting techniques in the Nepalese manufacturing firms. *Nepal Journal of Multidisciplinary Research*, 4(4), 53-62.
46. Dahal, R.K. (2022). Customers' perspectives on the Nepalese cellular telecommunications services' technological and innovation capabilities. *International Journal of Social Sciences and Management*, 9(1), 41-47.
47. Dahal, R. K. (2022). Management accounting practices and organizational performance. *Problems and Perspectives in Management*, 20(2), 33-43.
48. Dahal, R. K., Ghimire, B., & Rai, B. (2022). Social and environmental accountabilities of the Nepalese cell phone operators. *Quest Journal of Management and Social Sciences*, 4(2), 225-235.
49. Dahal, R. K., Ghimire, B., & Rai, B. (2022). A balanced scorecard approach for evaluating organizational performance of Nepal Telecom. *Management Dynamics*, 25(1), 63-73.
50. Dahal, R. K., Ghimire, B., & Rai, B. (2023). The strength of corporate governance metrics on organizational performance of Nepalese telecom industry. *THE BATUK: A Peer Reviewed Journal of Interdisciplinary Studies*, 9(1), 58-74.
51. Dahal, R. K., Ghimire, B., Rai, B., & Shahi, B. J. (2023). Customer's perspective on non-financial performance metrics of telecommunication companies: The emerging market case. *Journal of Governance & Regulation*, 12(2), 8-18.
52. Bhakuni S, Gahlawat C, "Human Resource management practices on enhancing teachers' performance," *Journal of advances and scholarly researches in allied education*, Vol. 16, no. 6, pp. 249-256, 2019.
53. Bhakuni S, Gahlawat C, "Changing role of teachers in today's scenario and role of human resource management in shaping them," *Journal of Emerging Technologies and Innovative Research*, vol.6, no.6, pp.352-357, 2019.
54. Bhakuni S, Kandari S, Gahlawat C, "Analysis of HRM Practices in Private Sector School Teachers in Uttarakhand," *Journal of humanities and social sciences studies*, vol. 2, no. 3, pp. 86-89, 2020.

55. Bhakuni S, Kala S, “Yoga: Maintaining healthy employees at workplace,” *International Journal of Social Science and Human Research*, vol. 5, no.4, pp. 1347-1351, 2022.
56. H. Lakhani, D. Undaviya, H. Dave, S. Degadwala, and D. Vyas, “PET-MRI Sequence Fusion using Convolution Neural Network,” in *2023 International Conference on Inventive Computation Technologies (ICICT)*, 2023, pp. 317–321.
57. F. Ahamad, D. K. Lobiyal, S. Degadwala, and D. Vyas, “Inspecting and Finding Faults in Railway Tracks Using Wireless Sensor Networks,” in *2023 International Conference on Inventive Computation Technologies (ICICT)*, 2023, pp. 1241–1245.
58. D. Rathod, K. Patel, A. J. Goswami, S. Degadwala, and D. Vyas, “Exploring Drug Sentiment Analysis with Machine Learning Techniques,” in *2023 International Conference on Inventive Computation Technologies (ICICT)*, 2023, pp. 9–12.
59. C. H. Patel, D. Undaviya, H. Dave, S. Degadwala, and D. Vyas, “EfficientNetB0 for Brain Stroke Classification on Computed Tomography Scan,” in *2023 2nd International Conference on Applied Artificial Intelligence and Computing (ICAAIC)*, 2023, pp. 713–718.
60. V. Desai, S. Degadwala, and D. Vyas, “Multi-Categories Vehicle Detection For Urban Traffic Management,” in *2023 Second International Conference on Electronics and Renewable Systems (ICEARS)*, 2023, pp. 1486–1490.
61. D. Vyas and V. V Kapadia, “Evaluation of Adversarial Attacks and Detection on Transfer Learning Model,” in *2023 7th International Conference on Computing Methodologies and Communication (ICCMC)*, 2023, pp. 1116–1124.
62. D. D. Pandya, S. K. Patel, A. H. Qureshi, A. J. Goswami, S. Degadwala, and D. Vyas, “Multi-Class Classification of Vector Borne Diseases using Convolution Neural Network,” in *2023 2nd International Conference on Applied Artificial Intelligence and Computing (ICAAIC)*, 2023, pp. 1–8.
63. D. D. Pandya, A. K. Patel, J. M. Purohit, M. N. Bhuptani, S. Degadwala, and D. Vyas, “Forecasting Number of Indian Startups using Supervised Learning Regression Models,” in *2023 International Conference on Inventive Computation Technologies (ICICT)*, 2023, pp. 948–952.
64. S. Degadwala, D. Vyas, D. D. Pandya, and H. Dave, “Multi-Class Pneumonia Classification Using Transfer Deep Learning Methods,” in *2023 Third International Conference on Artificial Intelligence and Smart Energy (ICAIS)*, 2023, pp. 559–563.
65. D. D. Pandya, A. Jadeja, S. Degadwala, and D. Vyas, “Diagnostic Criteria for Depression based on Both Static and Dynamic Visual Features,” in *2023 International Conference on Intelligent Data Communication Technologies and Internet of Things (IDCIoT)*, 2023, pp. 635–639.
66. Bhakuni S, “Workforce participation of women in India: A factor that needs reform,” *International Journal of research in Human Resource Management*, vol. 4, no. 1, pp. 106-111, 2022.
67. Bhakuni S, “Managing employees’ involvement using motivation-The key leadership skill,” *International Journal of Advanced in Management, Technology and Engineering Sciences*, vol.12, no. 5, pp. 37-47, 2022.
68. Bhakuni S, “Personality traits and their use in attaining organizational goals,” *International Journal of HRM and organizational Behaviour*, vol. 10, no. 2, pp. 74-80, 2022.
69. Bhakuni S, “Conflict management: Reason, Reaction, Resolve, Reconcile and Revive,” *Asian Journal of Management and Commerce*, vol. 3, no. 1, pp. 118-124, 2022.
70. Bhakuni S, “Managing employees: Requirement of a humane approach,” *International journal of*

- research in finance and management. Vol. 5, no. 1, pp. 54-57, 2022.
71. Bhakuni S, "Leadership-The most important area of educational performance," *Ilomata International Journal of Management*, vol. 3, no. 3, pp. 284-297, 2022.
 72. Awais, M., Bhuva, A., Bhuva, D., Fatima, S., & Sadiq, T. (2023). Optimized DEC: An effective cough detection framework using optimal weighted Features-aided deep Ensemble classifier for COVID-19. *Biomedical Signal Processing and Control*, 105026.
 73. Akhilesh Kumar Sharma, Shamik Tiwari, Gaurav Aggarwal, Nitika Goenka, Anil Kumar, Prasun Chakrabarti, Tulika Chakrabarti, Radomir Gono, Zbigniew Leonowicz, Michal Jasiński , "Dermatologist-Level Classification of Skin Cancer Using Cascaded Ensembling of Convolutional Neural Network and Handcrafted Features Based Deep Neural Network", *IEEE Access* , 10 : 17920-17932, 2022
 74. Gaurav Kumawat, Santosh Kumar Viswakarma, Prasun Chakrabarti , Pankaj Chittora, Tulika Chakrabarti , Jerry Chun-Wei Lin, "Prognosis of Cervical Cancer Disease by Applying Machine Learning Techniques", *Journal of Circuits, Systems, and Computers*, 2022.
 75. Abrar Ahmed Chhipa, Prasun Chakrabarti, Vadim Bolshev , Tulika Chakrabarti , Gennady Samarin, Alexey N. Vasiyev, Sandeep Ghosh, Alexander Kudryavtsev, "Modeling and Control Strategy of Wind Energy Conversion System with Grid-Connected Doubly Fed Induction Genenerator", *Energies* , 15, 6694, 2022
 76. Tulika Chakrabarti, Sibabrata Mukhopadhyay, Prasun Chakrabarti, Gholamreza Hatam, Mohammad Nami, "Phenyl Ethanoid Glycoside from the Bark of *Oroxylum indicum* Vent: a Potential Inhibitor of DNA Topoisomerase IB of *Leishmania donovani*", *Journal of Advanced Medical Sciences and Applied Technologies*, 2022
 77. B Prasanalakshmi , Bui Thanh Hung, Prasun Chakrabarti, Xue-bo Jin, Tulika Chakrabarti, Ahmed Elngar, "A Novel Artificial Intelligence-Based Predictive Analytics Technique to Detect Skin Cancer", 2022.
 78. S Ningthoujam, T Chingkheinganba, S K Chakraborty, A Elngar, Prasun Chakrabarti, Tulika Chakrabarti, Praveen, S. Phani , Amit Gupta, Margala, Martin, "Performance Analysis for Molecular Communication Under Feedback Channel Using Multipath and Single Path Technique", Pre-print, 2022.
 79. Pankaj Chittora, Tulika Chakrabarti, Papiya Debnath, Amit Gupta, Prasun Chakrabarti, S Phani Praveen, Martin Margala, Ahmed A Elngar , "Experimental analysis of earthquake prediction using machine learning classifiers, curve fitting, and neural modeling", Pre-print, 2022.
 80. Umesh Agarwal, Abrar Ahmed Chhipa, Tulika Chakrabarti, Amit Gupta, S Phani Praveen, Prasun Chakrabarti, Neha Sharma, Ahmed A Elngar , "Reliability Evaluation of Radial Distribution Network for Educational purpose using Greedy Search Approach-Distribution Network Data and Results", Pre-print, 2022.
 81. Nagendra Singh, Manish Tiwari, Tulika Chakrabarti, Prasun Chakrabarti, Om Prakash Jena, Ahmed A Elngar, Vinayakumar Ravi, Martin Margala, "Minimization of Environmental Emission and cost of generation by using economic load dispatch", Pre-print, 2022.
 82. Akhilesh Deep Arya, Sourabh Singh Verma, Prasun Chakrabarti, Tulika Chakrabarti, Ahmed A Elngar, Mohammad Nami, Ali-Mohammad Kamali, "A Systematic Review on Machine Learning and Deep Learning Techniques in the Effective Diagnosis of Alzheimer's Disease", Pre-print, 2022
 83. Suchismita Gupta, Bikramjit Sarkar, Subhrajyoti Saha, Indranath Sarkar, Prasun Chakrabarti, Sudipta Sahana, Tulika Chakrabarti, Ahmed A Elngar, "A Novel Approach Toward the Prevention

- of the Side Channel Attacks for Enhancing the Network Security”, Pre-print, 2022.
84. Naveen S Pagad, N Pradeep, Tulika Chakrabarti, Prasun Chakrabarti, Ahmed A Elngar, Martin Margala, Mohammad Nami, Neha Sharma, Samuel Frimpong, “Clinical XLNet-based End-to-End Knowledge Discovery on Clinical Text Data using Natural Language Processing”, Pre-print, 2022
 85. K Suvarna Vani, Bui Thanh Hung, Prasun Chakrabarti, Tulika Chakrabarti, Ahmed A Elngar, “Detection and Classification of Invasive Ductal Carcinoma using Artificial Intelligence”, Pre-print, 2022.
 86. KS Balamurugan, Prasun Chakrabarti, Tulika Chakrabarti, Amit Gupta, Ahmed A Elngar, Mohammad Nami, Vinayakumar Ravi, Grienggrai Rajchakit, M Ali Akbar, “Improving the Performance of Diagnosing Chronic obstructive Lung Disease Using Outlier Detection with Decision Tree Algorithm”, Pre-print, 2022.
 87. Ruhul Amin Hazarika, Arnab Kumar Maji, Debdatta Kandar, Prasun Chakrabarti, Tulika Chakrabarti, KS Jagannatha Rao, Jose Carvalho, Babak Kateb, Mohammad Nami, “An evaluation on changes in Hippocampus size for Cognitively Normal (CN), Mild Cognitive Impairment (MCI), and Alzheimer’s disease (AD) patients using Fuzzy Membership Function”, OSF Preprints, 2021.
 88. Jitendra Shreemali, Prasun Chakrabarti, Tulika Chakrabarti, Sandeep Poddar, Daniel Sipple, Babak Kateb, Mohammad Nami, “A Machine Learning Perspective on Causes of Suicides and identification of Vulnerable Categories using Multiple Algorithms”, medRxiv, 2021.
 89. Papiya Debnath, Pankaj Chittora, Tulika Chakrabarti, Prasun Chakrabarti, Zbigniew Leonowicz, Michal Jasinski , Radomir Gono, Elzbieta Jasińska, “Analysis of earthquake prediction in India using supervised machine learning classifiers”, Sustainability ,13(2):971 , 2021.
 90. 21. Pankaj Chittora, Sandeep Chaurasia, Prasun Chakrabarti, Gaurav Kumawat, Tulika Chakrabarti, Zbigniew Leonowiz, Michael Jaisinski, Lukasz Jaisinski, Radomir Gono, Elzbieta Jaisinski, Vadim Bolshev, “Prediction of Chronic Kidney Disease - A Machine Learning perspective”, IEEE Access, 9 : 17312-17334,2021
 91. Akhilesh Kumar Sharma, Gaurav Aggarwal, Sachit Bhardwaj, Prasun Chakrabarti, Tulika Chakrabarti, Jemal Hussain, Siddhartha Bhattarcharya, Richa Mishra, Anirban Das, Hairulnizam Mahdin, “Classification of Indian Classical Music with Time-Series Matching using Deep Learning”, IEEE Access , 9 : 102041-102052 , 2021.
 92. Abrar Ahmed Chhipa , Vinod Kumar, R. R. Joshi, Prasun Chakrabarti, Michal Jaisinski, Alessandro Burgio, Zbigniew Leonowicz, Elzbieta Jaisinska, Rajkumar Soni, Tulika Chakrabarti, “Adaptive Neuro-fuzzy Inference System Based Maximum Power Tracking Controller for Variable Speed WECS”, Energies ,14(19) :6275, 2021.
 93. Tulika Chakrabarti, Sibabrata Mukhopadhyay, Prasun Chakrabarti, Gholamreza Hatam, Mohammad Nami, “Phenyl Ethanoid Glycoside from the bark of *Oroxylum indicum* vent : a potential inhibitor of DNA Topoisomerase IB of *Leishmania donovani*”, Journal of Advanced Medical Sciences and Applied Technologies , 2021.
 94. Sreemoy Kanti Das, GS Chakraborty, Tulika Chakrabarti, Prasun Chakrabarti, Mohammad Javad Gholamzadeh, Mohammad Nami, “Evaluation of nootropic activity of standardized *Epipremnum aureum* extract against scopolamine-induced amnesia in experimental animals”, Journal of Advanced Medical Sciences and Applied Technologies , 6(1): 64-71,2021.
 95. Prasun Chakrabarti , Tulika Chakrabarti , Mayank Sharma. , D Atre D, K.Baba Pai, “Quantification of Thought Analysis of Alcohol-addicted persons and memory loss of patients suffering from stage-4 liver cancer”, Advances in Intelligent Systems and Computing, 1053, pp.1099-1105, 2020.

96. Prasun Chakrabarti, Tulika Chakrabarti , Biswajit Satpathy, I SenGupta , Jonathan Andrew Ware, “Analysis of strategic market management in the light of stochastic processes, recurrence relation, Abelian group and expectation”, *Advances in Artificial Intelligence and Data Engineering*, 1133 , pp.701-710, 2020
97. Prasun Chakrabarti, Siddhant Bane, Biswajit Satpathy , Mark Goh , B N Datta , Tulika Chakrabarti, “Compound Poisson Process and its Applications in Business”, *Lecture Notes in Electrical Engineering*, 601, pp.678-685,2020.
98. Prasun Chakrabarti , Biswajit Satpathy, Siddhant Bane, Tulika Chakrabarti, N S Chaudhuri, Pierluigi Siano , “Business forecasting in the light of statistical approaches and machine learning classifiers”, *Communications in Computer and Information Science* , 1045, pp.13-21, 2019.
99. Manish Tiwari, Prasun Chakrabarti, Tulika Chakrabarti, “Novel work of diagnosis in liver cancer using Tree classifier on liver cancer dataset (BUPA liver disorder)”, *Communications in Computer and Information Science*, 837, pp.155-160, 2018.
100. Manish Tiwari, Prasun Chakrabarti, Tulika Chakrabarti, “Performance analysis and error evaluation towards the liver cancer diagnosis using lazy classifiers for ILPD”, *Communications in Computer and Information Science* , 837, pp.161-168,2018.
101. Prasun Chakrabarti, Manish Tiwari, Tulika Chakrabarti, “Performance Vector analysis in context to liver cancer-A Support Vector Machine Approach with a survey on the latest Perspectives of Chemistry in liver cancer treatment”, *International Journal of Computer Science and Information Security*, 14(9):1238,2016.
102. A. Ghosh, P. Chakrabarti, D. Bhatnagar, “Performance Evaluation of Optimized Mobile IP Protocol Vis-à-vis Bit Map Indexing Method”, *International Journal of Computer Applications*, Foundation of Computer Science, Vol. 75, Issue: 2, Jan. 2013.
103. H. Patidar, P. Chakrabarti, A. Ghosh, “Parallel Computing Aspects in Improved Edge Cover Based Graph Coloring Algorithm”, *Indian Journal of Science and Technology*, Vol. 10, P. 25, Jul. 2017.
104. SS Priscila, M Hemalatha, “Improving the performance of entropy ensembles of neural networks (EENNS) on classification of heart disease prediction”, *Int J Pure Appl Math* 117 (7), 371-386, 2017.
105. S Silvia Priscila, M Hemalatha, “ Diagnosis of heart disease with particle bee-neural network” *Biomedical Research*, Special Issue, pp. S40-S46, 2018.
106. S Silvia Priscila, M Hemalatha, “ Heart Disease Prediction Using Integer-Coded Genetic Algorithm (ICGA) Based Particle Clonal Neural Network (ICGA-PCNN)”, *Bonfring International Journal of Industrial Engineering and Management Science* 8 (2), 15-19, 2018.
107. S. Tripathi and A. Al -Zubaidi, “A Study within Salalah’s Higher Education Institutions on Online Learning Motivation and Engagement Challenges during Covid-19,” *FMDB Transactions on Sustainable Techno Learning.*, vol. 1, no. 1, pp. 1–10, 2023.
108. A. I. Zannah, S. Rachakonda, A. M. Abubakar, S. Devkota, and E. C. Nneka, “Control for Hydrogen Recovery in Pressuring Swing Adsorption System Modeling,” *FMDB Transactions on Sustainable Energy Sequence*, vol. 1, no. 1, pp. 1–10, 2023.
109. D. Saxena, S. Khandare and S. Chaudhary, “An Overview of ChatGPT: Impact on Academic Learning,” *FMDB Transactions on Sustainable Techno Learning.*, vol. 1, no. 1, pp. 11–20, 2023.
110. S. Tripathi and M. Al-Shahri, “Problems and Prospects on the Evolution of Advertising and Public Relations Industries in Oman,” *FMDB Transactions on Sustainable Management Letters.*, vol. 1, no.

- 1, pp. 1–11, 2023.
111. M. P. Ocoró, O. C. C. Polo, and S. Khandare, “Importance of Business Financial Risk Analysis in SMEs According to COVID-19,” *FMDB Transactions on Sustainable Management Letters.*, vol. 1, no. 1, pp. 12-21, 2023.
112. E. Vashishtha and G. Dhawan, “Comparison of Baldrige Criteria of Strategy Planning and Harrison Text,” *FMDB Transactions on Sustainable Management Letters.*, vol. 1, no. 1, pp. 22-31, 2023.
113. K. Srinivas, P. R. Velmurugan, and N. Andiyappillai, “Digital Human Resources and Management Support Improve Human Resources Effectiveness,” *FMDB Transactions on Sustainable Management Letters.*, vol. 1, no. 1, pp. 32-45, 2023.
114. P. Paramasivan, “A Novel Approach: Hydrothermal Method of Fine Stabilized Superparamagnetics of Cobalt Ferrite (CoFe₂O₄) Nanoparticles,” *Journal of Superconductivity and Novel Magnetism*, vol. 29, pp. 2805–2811, 2016.
115. P. Paramasivan, “Controllable synthesis of CuFe₂O₄ nanostructures through simple hydrothermal method in the presence of thioglycolic acid,” *Physica E: Low-dimensional Systems and Nanostructures*, vol. 84, pp. 258–262, 2016.
116. S. Ambika, T. A. Sivakumar, and P. Sukantha, “Preparation and characterization of nanocopper ferrite and its green catalytic activity in alcohol oxidation reaction,” *Journal of Superconductivity and Novel Magnetism*, vol. 32, pp. 903–910, 2019.
117. P. Paramasivan, “Comparative investigation of NiFe₂O₄ nano and microstructures for structural, optical, magnetic and catalytic properties,” *Advanced Science, Engineering and Medicine*, vol. 8, pp. 392–397, 2016.
118. P. Paramasivan, S. Narayanan, and N. M. Faizee, “Enhancing Catalytic Activity of Mn₃O₄ by Selective Liquid Phase Oxidation of Benzyl Alcohol,” *Advanced Science, Engineering and Medicine*, vol. 10, pp. 1–5, 2018.
119. S. S. Priscila, S.S. Rajest, S. N. Tadiboina, R. Regin and S. Andrés, “Analysis of Machine Learning and Deep Learning Methods for Superstore Sales Prediction,” *FMDB Transactions on Sustainable Computer Letters.*, vol. 1, no. 1, pp. 1–11, 2023.
120. A. V. V. ., T. S. ., S. S. N. ., & Rajest, D. S. S. . (2022). IoT-Based Automated Oxygen Pumping System for Acute Asthma Patients. *European Journal of Life Safety and Stability* (2660-9630), 19 (7), 8-34.
121. Regin, D. R., Rajest, D. S. S., T. S., G. J. A. C., & R, S. (2022). An Automated Conversation System Using Natural Language Processing (NLP) Chatbot in Python. *Central Asian Journal Of Medical And Natural Sciences*, 3(4), 314-336.
122. Rajest, S. S. ., Regin, R. ., T, S. ., G, J. A. C. ., & R, S. . (2022). Production of Blockchains as Well as their Implementation. *Vital Annex : International Journal of Novel Research in Advanced Sciences*, 1(2), 21–44.
123. E. Vashishtha and H. Kapoor, “Implementation of Blockchain Technology Across International Healthcare Markets,” *FMDB Transactions on Sustainable Technoprise Letters.*, vol. 1, no. 1, pp. 1–12, 2023.
124. S. Shruthi and B.R. Aravind, “Engaging ESL Learning on Mastering Present Tense with Nearpod and LearningApps.org for Engineering Students,” *FMDB Transactions on Sustainable Techno Learning.*, vol. 1, no. 1, pp. 21–31, 2023.
125. P.S. Venkateswaran and P. Viktor, “A Study on Brand Equity of Fast-Moving Consumer Goods with

- Reference to Madurai, Tamil Nadu,” FMDB Transactions on Sustainable Technoprise Letters., vol. 1, no. 1, pp. 13–27, 2023.
126. J. J. L. María, O. C. C. Polo, and T. Elhadary, “An Analysis of the Morality and Social Responsibility of Non-Profit Organizations,” FMDB Transactions on Sustainable Technoprise Letters., vol. 1, no. 1, pp. 28–35, 2023.
127. P. S. Kuragayala, “A Systematic Review on Workforce Development in Healthcare Sector: Implications in the Post-COVID Scenario,” FMDB Transactions on Sustainable Technoprise Letters., vol. 1, no. 1, pp. 36–46, 2023.
128. G. Nirmala, R. Premavathy, R. Chandar, J. Jeganathan, “An Explanatory Case Report on Biopsychosocial Issues and the Impact of Innovative Nurse-Led Therapy in Children with Hematological Cancer,” FMDB Transactions on Sustainable Health Science Letters, vol. 1, no. 1, pp. 1–10, 2023.
129. Pandit, “On the Context of Diabetes: A Brief Discussion on the Novel Ethical Issues of Non-communicable Diseases,” FMDB Transactions on Sustainable Health Science Letters, vol. 1, no. 1, pp. 11–20, 2023.

